



MD-RDA

LOW COST MINIATURE
(3G/HD/SD)-SDI 1 to 6 RECLOCKING
DISTRIBUTION AMPLIFIER




Similar to the feature rich MRD-1000 available in the openGear platform shown below



PRODUCT FEATURES

- Reclocks one input and outputs 6 new copies of either 3G-SDI, HD-SDI or SD-SDI.
- Conditional Maximum Equalization cable length, using Belden 1694A cable:
 - 400 metres (1312 feet) for SD-SDI
 - 200 metres (656 feet) for HD-SDI
 - 100 metres (328 feet) for 3G-SDI
- Auto rate detect
- Small compact size
- Locking DC Power Socket
- Mounting Bracket included
- Power Supply included



SPECIFICATIONS

VIDEO FORMATS	3G:SMPTE 424M@2.97 and 2.967Gb/s HD:SMPTE 292M/274M/296M@1.485 and 1.435Gb/s SD:SMPTE 259M@270Mb/s	INPUTS	<ul style="list-style-type: none"> • (3G/HD/SD)-SDI • Conditional Maximum Equalization cable length of 400M for SDI, 200M for HD-SDI and 100M 3G-SDI using Belden 1694A
LED STATUS	<ul style="list-style-type: none"> • Power • Signal Lock 	OUTPUTS	<ul style="list-style-type: none"> • 6 x RECLOCKED (3G/HD/SD)-SDI
POWER	<ul style="list-style-type: none"> • +5V to +24V DC, ~2 Watts • Positive Centre Pin 	DIMENSIONS	3" x 2.8" x 0.9" or (78mm x 71mm x 23mm)

DISTRIBUTED BY:

Symbiosis EU -
www.symbiosis.eu



www.decimator.com

FUTURE-PROOF SOLUTIONS

Copyright © 2010 DECIMATOR DESIGN PTY LTD MD-RDA BROCHURE V1.0